

National Registry of Emergency Medical Technicians Advanced Level Psychomotor Examination

SUPRAGLOTTIC AIRWAY DEVICE

Date:Signature:		
Device:		
NOTE: If candidate elects to initially ventilate with BVM attached to reservoir and oxygen, full credit must be	e awarded for ste	ps denoted by
"**" so long as first ventilation is delivered within 30 seconds.		
	Possibl	
ctual Time Started:	Points	Awarde
Takas ar varhalizas appranziata DDE prosputions	1	
Takes or verbalizes appropriate PPE precautions Opens the airway manually	1	
Inserts appropriately sized airway adjunct	1	
NOTE: Examiner must now inform candidate no gag reflex is present, and patient accepts adjunc	1	
**Ventilates patient immediately with bag-valve-mask device	1	
**Ventilates patient with room air	1	
NOTE: Examiner must now inform candidate that ventilation is being performed without difficulty a		vimotry
indicates the patient's blood oxygen saturation is 85%.	and that puise ox	anneu y
Attaches oxygen reservoir to bag-valve-mask device and connects to high-flow oxygen regulator		
[12 – 15 L/minute]	1	
Ventilates patient with appropriate volumes	1	
NOTE: After 30 seconds, examiner must auscultate and report breath sounds are present and equ	ıal bilaterally, an	d medical
direction has ordered insertion of a supraglottic airway. The examiner must now take over ventil	ation.	
	1	
Checks/prepares supraglottic airway device		
Checks/prepares supraglottic airway device Lubricates distal tip of the device [may be verbalized] NOTE: Examiner must now remove airway adjunct and move out of the way when candidate is p	1	device.
Checks/prepares supraglottic airway device Lubricates distal tip of the device [may be verbalized] NOTE: Examiner must now remove airway adjunct and move out of the way when candidate is possitions head properly	1	device.
Checks/prepares supraglottic airway device Lubricates distal tip of the device [may be verbalized] NOTE: Examiner must now remove airway adjunct and move out of the way when candidate is possitions head properly Performs a tongue-jaw lift	1 1 repared to insert	t device.
Checks/prepares supraglottic airway device Lubricates distal tip of the device [may be verbalized] NOTE: Examiner must now remove airway adjunct and move out of the way when candidate is possitions head properly Performs a tongue-jaw lift Inserts device to proper depth	1 1 repared to insert	device.
Checks/prepares supraglottic airway device Lubricates distal tip of the device [may be verbalized] NOTE: Examiner must now remove airway adjunct and move out of the way when candidate is p Positions head properly Performs a tongue-jaw lift Inserts device to proper depth Properly secures device per manufacturer's instructions	1 1 repared to insert 1	device.
Checks/prepares supraglottic airway device Lubricates distal tip of the device [may be verbalized] NOTE: Examiner must now remove airway adjunct and move out of the way when candidate is p Positions head properly Performs a tongue-jaw lift Inserts device to proper depth Properly secures device per manufacturer's instructions Ventilates patient and confirms proper ventilation by auscultation bilaterally over lungs and over the	1 1 repared to insert 1 1	device.
direction has ordered insertion of a supraglottic airway. The examiner must now take over ventile Checks/prepares supraglottic airway device Lubricates distal tip of the device [may be verbalized] NOTE: Examiner must now remove airway adjunct and move out of the way when candidate is positions head properly Performs a tongue-jaw lift Inserts device to proper depth Properly secures device per manufacturer's instructions Ventilates patient and confirms proper ventilation by auscultation bilaterally over lungs and over the epigastrium Adjusts ventilation as necessary	1 repared to insert 1 1 1	device.
Checks/prepares supraglottic airway device Lubricates distal tip of the device [may be verbalized] NOTE: Examiner must now remove airway adjunct and move out of the way when candidate is p Positions head properly Performs a tongue-jaw lift Inserts device to proper depth Properly secures device per manufacturer's instructions Ventilates patient and confirms proper ventilation by auscultation bilaterally over lungs and over the epigastrium Adjusts ventilation as necessary Verifies proper tube placement by secondary confirmation such as capnography, capnometry, esophage	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	device.
Checks/prepares supraglottic airway device Lubricates distal tip of the device [may be verbalized] NOTE: Examiner must now remove airway adjunct and move out of the way when candidate is positions head properly Performs a tongue-jaw lift Inserts device to proper depth Properly secures device per manufacturer's instructions Ventilates patient and confirms proper ventilation by auscultation bilaterally over lungs and over the epigastrium Adjusts ventilation as necessary Verifies proper tube placement by secondary confirmation such as capnography, capnometry, esophage detector device, or colorimetric device	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
Checks/prepares supraglottic airway device Lubricates distal tip of the device [may be verbalized] NOTE: Examiner must now remove airway adjunct and move out of the way when candidate is p Positions head properly Performs a tongue-jaw lift Inserts device to proper depth Properly secures device per manufacturer's instructions Ventilates patient and confirms proper ventilation by auscultation bilaterally over lungs and over the epigastrium Adjusts ventilation as necessary Verifies proper tube placement by secondary confirmation such as capnography, capnometry, esophage detector device, or colorimetric device NOTE: The examiner must now ask the candidate, "How would you know if you are delivering app	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
Checks/prepares supraglottic airway device Lubricates distal tip of the device [may be verbalized] NOTE: Examiner must now remove airway adjunct and move out of the way when candidate is p Positions head properly Performs a tongue-jaw lift Inserts device to proper depth Properly secures device per manufacturer's instructions Ventilates patient and confirms proper ventilation by auscultation bilaterally over lungs and over the epigastrium Adjusts ventilation as necessary Verifies proper tube placement by secondary confirmation such as capnography, capnometry, esophage detector device, or colorimetric device NOTE: The examiner must now ask the candidate, "How would you know if you are delivering app each ventilation?"	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
Checks/prepares supraglottic airway device Lubricates distal tip of the device [may be verbalized] NOTE: Examiner must now remove airway adjunct and move out of the way when candidate is p Positions head properly Performs a tongue-jaw lift Inserts device to proper depth Properly secures device per manufacturer's instructions Ventilates patient and confirms proper ventilation by auscultation bilaterally over lungs and over the epigastrium Adjusts ventilation as necessary	repared to insert 1 1 1 1 1 1 1 1 1 1 repared to insert	

You must factually document your rationale for checking any of the above critical criteria on the reverse side of this form.